




IZZY

3 hole wall basin mixer



CIFIAL®



CIFIAL[®]


www.cifial.co.uk
sales@cifial.co.uk

GB**OPERATING CONDITIONS**


- Minimum dynamic pressure.....1 bar
- Recommended working pressure (static).....3 bar
(ATTENTION: when pressure exceeds 5 bar, the installation of a pressure reducer is recommended)
- Maximum working pressure (static).....5 bar
- Maximum test pressure (static).....16 bar
- Maximum hot water temperature.....80 °C
- Recommended hot water temperature.....65 °C (for safety and energy saving)



Non incluso / Not included / Non inclus / Nicht Dabei / No incluido / Nitinbegrepen






Incluso / Included / Inclus / Dabei / incluido / Inbegrepen



CIFIAL®


www.cifial.co.uk
sales@cifial.co.uk







CIFIAL[®]




www.cifial.co.uk
sales@cifial.co.uk



CIFIAL®

www.cifial.co.uk
sales@cifial.co.uk







M16x1



CIFIAL®

www.cifial.co.uk
sales@cifial.co.uk



CIFIAL®

www.cifial.co.uk
sales@cifial.co.uk



CIFIAL®

www.cifial.co.uk
sales@cifial.co.uk

CIFIAL[®]

www.cifial.co.uk
sales@cifial.co.uk